



Referenzliste | Liste des références

1. Grunig E, Ehlken N, Ghofrani A, Staehler G, Meyer FJ, Juenger J et al. Effect of exercise and respiratory training on clinical progression and survival in patients with severe chronic pulmonary hypertension. *Respiration; international review of thoracic diseases* 2011;81(5):394–401. 10.1159/000322475.
2. Grunig E, Lichtblau M, Ehlken N, Ghofrani HA, Reichenberger F, Staehler G et al. Safety and efficacy of exercise training in various forms of pulmonary hypertension. *The European respiratory journal* 2012;40(1):84–92. 10.1183/09031936.00123711.
3. Galie N, Humbert M, Vachiery J-L, Gibbs S, Lang I, Torbicki A et al. 2015 ESC/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension: The Joint Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS): Endorsed by: Association for European Paediatric and Congenital Cardiology (AEPC), International Society for Heart and Lung Transplantation (ISHLT). *European heart journal* 2016;37(1):67–119. 10.1093/eurheartj/ehv317.
4. Spruit MA, Singh SJ, Garvey C, ZuWallack R, Nici L, Rochester C et al. An official American Thoracic Society/European Respiratory Society statement: key concepts and advances in pulmonary rehabilitation. *American journal of respiratory and critical care medicine* 2013;188(8):e13-64. 10.1164/rccm.201309-1634ST.
5. Osadnik CR, Rodrigues FMM, Camillo CA, Loeckx M, Janssens W, Dooms C et al. Principles of rehabilitation and reactivation. *Respiration; international review of thoracic diseases* 2015;89(1):2–11. 10.1159/000370246.
6. Byberg L, Melhus H, Gedeborg R, Sundstrom J, Ahlbom A, Zethelius B et al. Total mortality after changes in leisure time physical activity in 50 year old men: 35 year follow-up of population based cohort. *BMJ (Clinical research ed.)* 2009;338:b688. 10.1136/bmj.b688.
7. Garcia-Aymerich J, Lange P, Benet M, Schnohr P, Anto JM. Regular physical activity reduces hospital admission and mortality in chronic obstructive pulmonary disease: a population based cohort study. *Thorax* 2006;61(9):772–8. 10.1136/thx.2006.060145.
8. Gebel K, Ding D, Chey T, Stamatakis E, Brown WJ, Bauman AE. Effect of Moderate to Vigorous Physical Activity on All-Cause Mortality in Middle-aged and Older Australians. *JAMA internal medicine* 2015;175(6):970–7. 10.1001/jamainternmed.2015.0541.
9. Arem H, Moore SC, Patel A, Hartge P, Berrington de Gonzalez A, Visvanathan K et al. Leisure time physical activity and mortality: a detailed pooled analysis of the dose-response relationship. *JAMA internal medicine* 2015;175(6):959–67. 10.1001/jamainternmed.2015.0533.
10. Pedersen BK, Febbraio MA. Muscles, exercise and obesity: skeletal muscle as a secretory organ. *Nature reviews. Endocrinology* 2012;8(8):457–65. 10.1038/nrendo.2012.49.
11. Pedersen BK. Muscle as a secretory organ. *Comprehensive Physiology* 2013;3(3):1337–62. 10.1002/cphy.c120033.



12. Phillips C, Baktir MA, Srivatsan M, Salehi A. Neuroprotective effects of physical activity on the brain: a closer look at trophic factor signaling. *Frontiers in cellular neuroscience* 2014;8:170. 10.3389/fncel.2014.00170.
13. Man FS de, Handoko ML, Groepenhoff H, van 't Hul, A J, Abbink J, Koppers RJH et al. Effects of exercise training in patients with idiopathic pulmonary arterial hypertension. *The European respiratory journal* 2009;34(3):669–75. 10.1183/09031936.00027909.
14. Mainguy V, Maltais F, Saey D, Gagnon P, Martel S, Simon M et al. Effects of a rehabilitation program on skeletal muscle function in idiopathic pulmonary arterial hypertension. *Journal of cardiopulmonary rehabilitation and prevention* 2010;30(5):319–23. 10.1097/HCR.0b013e3181d6f962.
15. Favret F, Henderson KK, Richalet J-P, Gonzalez NC. Effects of exercise training on acclimatization to hypoxia: systemic O₂ transport during maximal exercise. *Journal of applied physiology (Bethesda, Md. 1985)* 2003;95(4):1531–41. 10.1152/japplphysiol.01220.2001.
16. Marra AM, Egenlauf B, Bossone E, Eichstaedt C, Grunig E, Ehlken N. Principles of rehabilitation and reactivation: pulmonary hypertension. *Respiration; international review of thoracic diseases* 2015;89(4):265–73. 10.1159/000371855.
17. Pandey A, Garg S, Khunger M, Kumbhani DJ, Chin KM, Berry JD. Efficacy and Safety of Exercise Training in Chronic Pulmonary Hypertension: Systematic Review and Meta-Analysis. *IJSR* 2015;4(11):938–40. 10.21275/v4i11.NOV151297.
18. Ehlken N, Lichtblau M, Klose H, Weidenhammer J, Fischer C, Nechwatal R et al. Exercise training improves peak oxygen consumption and haemodynamics in patients with severe pulmonary arterial hypertension and inoperable chronic thrombo-embolic pulmonary hypertension: a prospective, randomized, controlled trial. *European heart journal* 2016;37(1):35–44. 10.1093/eurheartj/ehv337.
19. Mathai SC, Puhan MA, Lam D, Wise RA. The minimal important difference in the 6-minute walk test for patients with pulmonary arterial hypertension. *American journal of respiratory and critical care medicine* 2012;186(5):428–33. 10.1164/rccm.201203-0480OC.
20. Mereles D, Ehlken N, Kreuscher S, Ghofrani S, Hoeper MM, Halank M et al. Exercise and respiratory training improve exercise capacity and quality of life in patients with severe chronic pulmonary hypertension. *Circulation* 2006;114(14):1482–9. 10.1161/CIRCULATIONAHA.106.618397.
21. Becker-Grunig T, Klose H, Ehlken N, Lichtblau M, Nagel C, Fischer C et al. Efficacy of exercise training in pulmonary arterial hypertension associated with congenital heart disease. *International journal of cardiology* 2013;168(1):375–81. 10.1016/j.ijcard.2012.09.036.
22. Nagel C, Prange F, Guth S, Herb J, Ehlken N, Fischer C et al. Exercise training improves exercise capacity and quality of life in patients with inoperable or residual chronic thromboembolic pulmonary hypertension. *PloS one* 2012;7(7):e41603. 10.1371/journal.pone.0041603.
23. Grunig E, Maier F, Ehlken N, Fischer C, Lichtblau M, Blank N et al. Exercise training in pulmonary arterial hypertension associated with connective tissue diseases. *Arthritis research & therapy* 2012;14(3):R148. 10.1186/ar3883.



24. Weinstein AA, Chin LMK, Keyser RE, Kennedy M, Nathan SD, Woolstenhulme JG et al. Effect of aerobic exercise training on fatigue and physical activity in patients with pulmonary arterial hypertension. *Respiratory medicine* 2013;107(5):778–84.
10.1016/j.rmed.2013.02.006.